

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S36	802107	(( ("455"/\$).cdls. or ("370"/\$).cdls. or ("710"/\$).cdls. or ("709"/\$).cdls. or ("719"/\$).cdls. or ("340"/\$).cdls. or ("342"/\$).cdls. or ("379"/\$).cdls. )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/25 18:49
S37	1368338	(( (Mobile adj ( device\$2 or terminal or station or handset\$2)) or (user adj equipment) or (wireless or cell\$1phone or cellphone or PDA ) or (personal adj access adj communication \$2) or (PACS) or subscriber \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/25 18:50
S38	128	((@ad<"20030911") and (( discard\$4 or throwaway or clear or reset) near5 (comple\$4 or total or finished or partial or "not completed") near5 (segment \$2 or packet\$2) and (base \$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS") )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/25 18:56
S40	115	((@ad<"20030911") and (( discard\$4 or throw\$away or clear ) near5 (comple\$4 or total or finished or partial or "not completed") near5 (segment\$2 or packet\$2) and (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS") )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/25 18:57
S39	128	((@ad<"20030911") and (( discard\$4 or throw\$away or clear or reset) near5 (comple\$4 or total or finished or partial or "not completed") near5 (segment \$2 or packet\$2) and (base \$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS") )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/25 18:57

S41	103	((@ad<"20030911") and ( (discard\$4 or throw \$away ) near5 (comple\$4 or total or finished or partial or "not completed") near5 (segment\$2 or packet\$2) and (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/25 19:32
S43	198	((@ad<"20030911") and ( (discard\$4 or throw \$away )with (comple\$4 or total or finished or partial or "not completed") with (segment\$2 or packet\$2) and (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 08:53
S42	749	((@ad<"20030911") and ( (discard\$4 or throw \$away ) same (comple\$4 or total or finished or partial or "not completed") same (segment\$2 or packet\$2) and (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 08:53
S44	2	((@ad<"20030911") and ( (discard\$4 or throw \$away )with (comple\$4 or total or finished or partial or "not completed") with (segment\$2 or packet\$2) and (base\$station ) and ("access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 08:54
S45	96	((@ad<"20030911") and ( (discard\$4 or throw \$away )with (comple\$4 or total or finished or partial or "not completed") with (segment\$2 or packet\$2) and (base\$station or "access point" or "RNC" or "MSC" or "GPRN" or "GPRS" ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 09:31

S46	198	((@ad< "20030911") and ( (discard\$4 or throw \$away) with (comple\$4 or total or finished or partial or "not completed") with (segment\$2 or packet\$2) and (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 09:32
S47	4238	((@ad< "20030911") and ( (compared or comparing or evaluating or analyzing) with (segment\$2 or packet \$2) and (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 09:33
S48	326	((@ad< "20030911") and ( (compared or comparing or evaluating or analyzing) with (segment\$2 or packet \$2) with (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 09:34
S49	194	((@ad< "20030911") and ( (compared or comparing ) with (segment\$2 or packet \$2) with (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 09:35
S50	303	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) with (segment\$2 or packet\$2) with (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 09:36
S53	165	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) near5 (segment\$2 or packet\$2) with (base\$station or "access point" or "RNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:05

S54	1	((@ad< "20030911") and ( (discard\$4 or throw \$away ) with (comple\$4 or total or finished or partial or "not completed") with (segment\$2 or packet\$2)) and ( (compared or comparing or compar\$4 ) near5 (segment\$2 or packet \$2) with (base\$station or "access point" or "PNC" or "MSC" or "Gateway" or "GPRN" or "GPRS" )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:07
S56	8612	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) with (segment\$2 or packet\$2) with (current or next or last or first ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:09
S55	8612	((@ad< "20030911") and (compared or comparing or compar\$4 ) with (segment \$2 or packet\$2) with (current or next or last or first )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:09
S58	3582	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) near5 ( (segment\$2 or packet\$2) near5 (current or next or last or first ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:10
S57	5862	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) with ( (segment\$2 or packet\$2) near5 (current or next or last or first ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:10
S61	444	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) near3 ( (segment\$2 ) near3 (current or next ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:11
S60	736	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) near5 ( (segment\$2 ) near5 (current or next ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:11
S59	1799	((@ad< "20030911") and ( (compared or comparing or compar\$4 ) near5 ( (segment\$2 ) near5 (current or next or last or first ) ) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:11

S62	75	((@ad<"20030911") and ((compared or comparing or compar\$4) near ((segment\$2) near (current or next)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:12
S63	4	((@ad<"20030911") and ((compared or comparing or compar\$4) near ((segment\$2) near (current or next)) with (consecutive or sequenc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:13
S64	16	((@ad<"20030911") and ((compared or comparing or compar\$4) near3 ((segment\$2) near3 (current or next)) with (consecutive or sequenc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:15
S65	19	((@ad<"20030911") and ((compared or comparing or compar\$4) near3 ((segment\$2) near3 (current or next)) with (consecutive or adjacent or sequenc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:16
S66	24	((@ad<"20030911") and ((compared or comparing or compar\$4) near3 ((segment\$2) near3 (current or next or previous)) with (consecutive or adjacent or sequenc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:18
S67	27	((@ad<"20030911") and ((compared or comparing or compar\$4) near3 ((segment\$2) near3 (current or next or previous or preceding)) with (consecutive or adjacent or sequenc\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 10:19
S68	6057	((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database))) and ((access adj network) or (base near2 station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 19:03

S69	276	((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database))) with ((access adj network) or (base near2 station) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 19:05
S70	168	((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database))) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 19:11
S71	59	((@ad<"20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database))) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 19:12
S72	62	((@ad<"20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database))) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4 or successive )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 19:35
S73	78	((@ad<"20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database))) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4 or successive or compar\$4 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/26 19:37

S74	3	"20010014100"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/27 16:55
S75	3	"20010014100" and (complet\$4 or discard\$4 or identif\$4 or consecutiv\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/05/27 19:32
L1	168	((empty\$3 or empties or discard\$3 or purg\$3 or delet \$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database)) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/06/11 17:33
L3	66	((@ad< "20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet \$3) with ((packet or data or content) with (storage or buffer or queue or memory or database)) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/06/11 17:35
L5	1	((@ad< "20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet \$3) with ((packet or data or content) with (storage or buffer or queue or memory or database)) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4) ) and ( packet near segment \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/06/11 17:36
L4	0	((@ad< "20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet \$3) with ((packet or data or content) with (storage or buffer or queue or memory or database)) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4) ) and ( consecutive near segment\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/06/11 17:36

L6	3	((@ad<"20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) with (storage or buffer or queue or memory or database)) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4) ) and ( packet near complet\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/06/11 17:38
L9	28	((@ad<"20030911") and ((empty\$3 or empties or discard\$3 or purg\$3 or delet\$3) with ((packet or data or content) near7 (storage or buffer or queue or memory or database))) with ((access adj network) or (base near2 station) ) and (consecutive or adjacent or sequenc\$4) and (first and next and last and "base station")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2011/06/11 17:45

6/ 11/ 2011 5:49:19 PM

H:\Documents and Settings\mpatel4\My Documents\EAST\Workspaces\EAST Workspace -  
10571606AA - SegmentBuf\_POST.wsp